

## ZenScreen MB16AHP

---

**DisplayPanel Size:** Wide Screen 15.6"(39.6cm) 16:9

**Panel Type :** IPS

**True Resolution :** 1920x1080

**Display Viewing Area(HxV) :** 344.16 x 193.59 mm

**Display Surface :** Non-glare

**Pixel Pitch :** 0.179 mm

**Brightness(Max) :** 250 cd/m<sup>2</sup>

**Contrast Ratio (Max) :** 700:1

**Flicker free**

**Video Feature****SPLendid Video Preset Modes :** 8 Modes (sRGB

Mode/Scenery Mode/Theater Mode/Standard Mode/Night View Mode/Game Mode/Reading Mode/Darkroom Mode)

**QuickFit (modes) :** Yes (Alignment Grid/Photo Modes)

**GamePlus(modes) :** Yes (Crosshair/Timer)

**Low Blue Light :** Yes

**HDCP support :** Yes

**Auto-rotate :** Yes

**Display Widget**

**Audio Features****Stereo Speakers :** 1W x 2 Stereo RMS

**Hotkey**input device

**Ein- und Ausgänge****Signal Input :** USB Type-C , Micro HDMI

**Stromverbrauch**Power Consumption(Typical):<9W

Power Saving Mode:0W

Power Off Mode:0W

Battery:7800mAh lithium-polymer battery

**Akku**Embedded Battery: 7800mAh lithium-polymer battery

Battery Life: DP Alt Mode up to 4 hours

**Gehäusedesign** Chassis Colors : Black

**Slim Design** : Yes

**Super Narrow Bezel Design** : Yes

**Maße** Phys. Dimension(WxHxD):359.66 x 227.39 x 9 mm

Box Dimension(WxHxD):485 x 305 x 76 mm

**Gewicht** Net Weight(Esti.):0.86kg

Gross Weight(Esti.):3.1kg

**Zubehör** ASUS Smart Case

Power adapter

Micro HDMI to HDMI cable

DisplayPort™ over USB-C™ cable (USB-C to USB-C)

USB Type-C to A adapter

ZenScreen pen

Quick start guide

Support CD

**Betriebstemperatur** 5~35°C

**Operation Humidity** 20-90% RH

**OS Compatibility** Microsoft Windows, Mac OS, Chrome OS, Linux

**Regulierungsabnahme** BSMI, CB, CCC, CE, FCC, J-MOSS, KCC, RoHS, UkrSEPRO, UL/cUL, VCCI, WEEE, WHQL (Windows 10, Windows 8.1, Windows 7), RCM, TUV Flicker-free , TUV Low Blue Light, CU(EAC), BIS

**Anmerkung** \*Auto Rotate requires the Windows OS and DisplayWidget to be installed

\*\*Compatible with Thunderbolt 3

\*\*\*The battery has a lifespan and ages every time when it is charged and discharged. It will gradually loose its charging capability as it ages



- Alle Spezifikationen können ohne vorherige Ankündigung geändert werden.
- Sofern nicht anders angegeben, basieren alle Leistungsangaben auf theoretisch erreichbaren Werten. Tatsächliche Messwerte können unter realen Bedingungen abweichen.
- Bitte lassen Sie sich von Ihrem Händler über die genauen Angebote informieren. Die Produkte sind eventuell nicht in allen Märkten erhältlich.
- PCB-Farb- und mitgelieferte Software-Versionen können ohne vorherige Ankündigung geändert werden.
- Die genannten Marken- und Produktnamen sind Warenzeichen ihrer jeweiligen Unternehmen.
- The actual transfer speed of USB 3.0, 3.1, 3.2, and/or Type-C will vary depending on many factors including the processing speed of the host device, file attributes and other factors related to system configuration and your operating environment.

Want More?

---

Who We Are

---

Need Help?

---

Community

---

Switzerland / Deutsch | Français | Italiano | English

Nutzungsbedingungen | Datenschutz | ©ASUSTeK Computer Inc. All rights reserved.